

DAFTAR PUSTAKA

- Aberle DE, Forrest JC, Gerrard DE, Mills EW. 2001. Principles of Meat Science. Fourth Edition. W.H. Freeman and Company. San Francisco, United States of America.
- Abustam, E. 2000. Teknik pemotongan, pengkarkasan dan maturasi daging (*aging*). *Prosiding Kursus Singkat. Teknik Peningkatan dan Penilaian Karkas dan Daging pada Ternak Sapi dengan Menggunakan Novel Teknologi*. Kerjasama Fapet UNHAS dengan Proyek Peningkatan Kualitas SDM Dirjen Dikti Depdiknas, Makassar.
- Allen DM, Merkel RA, Magee WT, Nelson RH. 1968. Variation in some beef carcass compositional characteristics within and between selected weight and fat thickness ranges. *J. Anim. Sci.* 27:1239-1246.
- Amer PR, Kemp RA, Smith C. 1992. Genetic differences among the predominant beef cattle breeds in Canada: Analysis of published result. *Can J. Anim. Sci.* 72:759-771.
- Amri U. 2000. Kajian produktivitas dan sifat fisik-kimia daging sapi brahman cross pada ransum yang berbeda [disertasi]. Bogor: Program Pascasarjana. Institut Pertanian Bogor.
- Arnim. 1985. Pengaruh umur terhadap sifat fisik dan kimia daging sapi peranakan ongole [tesis]. Bogor: Program Pascasarjana. Institut Pertanian Bogor.
- Arnold RN, Hentges EJ, Trenkle A. 1985. Evaluation of the use of deuterium oxide dilution techniques for determination of body composition of beef steers. *J. Anim. Sci.* 60:1188.
- Arthaud VH, Adams CH, Jacobs DR, Koch RM. 1969. Comparison of carcass traits of bulls and steers. *J. Anim. Sci.* 28:742-745.
- Aus-meat. 1987. Language. 2nd Edition. Aus-Met, Hyde Park Square Sydney NSW 2000.
- Aus-meat. 1995. Aus-Meat for Indonesia Workshop. Work Book No.1. Australian Meat and Livestock Corporation. Perth Western Australia.
- Australian Meat and Livestock Corporation. 1991. A Workshop for Tropical Feedlot Managers : An Introductory Workshop for Feedlot Managers in The Philippines. Perth Western Australia.
- Bagy BY. 1986. Potensi kerbau lumpur sebagai penghasil daging ditinjau dari nilai karkas dibandingkan dengan sapi persilangan brahman [skripsi]. Bogor: Fakultas Peternakan. Institut Pertanian Bogor.

- Bartle SJ, Males JR, Preston RL. 1983. Evaluation of urea dilution as an estimator of body composition in mature cows. *J.Anim.sci.* 56:410.
- Bartle SJ, Preston RL. 1985. Plasma, rumen and urine urea pools in urea space determination of body composition. *Fed. Prod.* 44:547.
- Bass JJ, Johnson DL, Woods EG. 1982. Relationship of carcass conformation of cattle and sheep with carcass composition. *Proc. Anim. Prod.* 42:125-126.
- Beattie WA. 1990. Beef Cattle Breeding and Management. 4th ed. National Library of Australia, Maryborough, Victoria.
- Berg RT, Butterfield RM. 1976. New Concepts of Cattle Growth. Sydney University Press Sydney.
- Bird PR, Flinn PC, Cayley JWD, Watson MJ. 1982. Body composition of live cattle and its prediction from fasted liveweight, tritiated water space and age. *Australian J. Agr. Res.* 33:375.
- Blakely J, Bade DH. 1992. Ilmu Peternakan. Edisi keempat. Terjemahan B.Srigandono. UGM-Press, Yogyakarta.
- Black JL. 1983. Implication of developments in meat science, production and marketing for lamb production systems. National Workshop, Orange, NSW.
- Boggs DL, Merkel RA, Doumit ME. 1998. Livestock and Carcasses: An Integrated Approach to Evaluation, Grading and Selection. Fifth Edition. Kendal/Hunt Pub., Co., Westmark Drive Dubuque, Iowa USA.
- Bowker WAT, Dumday RG, Frisch JE, Swan RA, Tulloh NM. 1978. A Course Manual Beef Cattle Management and Economic. A.A.U.C.S. Canberra, Australia.
- Brethour JR. 1994. Estimating marbling score in live cattle from ultrasound images using pattern recognition and neural network procedures. *J.Anim.Sci.* 72:1425.
- Brody S. 1945. Bioenergetics and Growth: with Special Reference to Efficiency Complex in domestic animal. Hafner Press. London.
- Burson DE. 1997. Quality and Yield Grades from Beef Carcasses. University of Nebraska Extension Meats Specialist. <http://ianrpubs.unl.edu/beef/rp357.htm>.
- Butterfield RM. 1963. Estimation of carcass Composition. In Beef Carcass Composition and Meat Quality. Dept. of Primary Industry. Queensland.
- Butterfield RM. 1966. Muscular hypertrophy of cattle. *Aus. Vet. J.* 42:389-393.

- Butterfield RM. 1982. Causes of variation in body composition and meat quality. In: Measuring and Marketing Meat Animals. Ed. D.J. Barker. *Australian Society of Anim. Prod.* Westens Australia. Pp. 1-12.
- Byers FM. 1979. Measurement of protein and fat accretion in growing beef cattle through isotope dilution procedures. *Ohio Agr. Res. Dev. Center Ser.* 79(1):36.
- Callow EH. 1961. Comparative studies of meat. VII. A comparison between hereford, dairy shorthorn and friesian steers on four levels of nutition. *J. Agric. Sci. Camb.* 56:265-282.
- Campbell JR, Kenealy MD, Campbell KL. 2003. Animal Science: The Biology, Care, and Production of Domestic Animal. McGraw-Hill Co., Inc., New York.
- Castro G, Wunder B, Knopf FL. 1990. Total body eletrical conductivity (TOBEC) to estimated total body fat of free-living birds. *Condor* 92:496.
- Cisneros F *et al.* 1996. Comparison of transverse and longitudinal real-time ultrasounds scan for prediction lean cut yields and fat-free lean content in live pigs. *J. Anim. Sci.* 74:2566.
- Charles DD. 1974. A method of estimating carcass components in cattle. *Res. Vet. Sci.* 16:89-94.
- Charles DD, Johnson ER. 1976. Breed differences in amount and distribution of bovine carcass dissectible fat. *J. Anim. Sci.* 42:332-341.
- Connelly A, Counsell C, Lohman JAB. 1988. Outer volume suppressed image related in vivo spectroscopy (ORISIR), a high sensitivity localization technique. *J. Marg. Reson.* 78:519.
- Crouse JD, Ferrel DL, Cundiff LV. 1985. Effect of sex condition, genotype and diet on bovine growth and carcass characteristics. *J. Anim. Sci.* 60(5):1219-1227.
- Deccaniere C. 1994. In vivo localizad NMR spectroscopy at high field strength [PhD thesis]. Belgium: Catholic University Leuven.
- [Ditjenak] Direktorat Jenderal Peternakan, [Fapet UGM] Fakultas Peternakan Universitas Gadjah Mada. 1986. Laporan survai evaluasi pengadaan dan penyebaran ternak impor crash program. Direktorat Bina Produksi, Ditjen Peternakan dan Fak. Peternakan UGM, Yogyakarta.

- [Ditjenbinpronak] Direktorat Jenderal Bina Produksi Peternakan. 2001. Rencana Strategis dan Program Kerja Pembangunan Produksi Peternakan Tahun 2001 – 2004. Departemen Pertanian, Jakarta.
- [Ditjenbinpronak] Direktorat Jenderal Bina Produksi Peternakan. 2003. Buku Statistik Peternakan Tahun 2003. Departemen Pertanian Republik Indonesia, Jakarta.
- Domermuth W *et al.* 1976. Prediction of lean body composition of live market weight swine by indirect methods. *J. Anim. Sci.* 43:966.
- Donelly JR, Freer M. 1974. Prediction of body composition of live sheep. *Australian J. Agr. Res.* 25:825.
- Dyer IA, O'Mary CC. 1977. The Feedlot. The Second Ed. Lea and Febiger, Philadelphia.
- Edey TN. 1983. Lactation, Growth and Body Composition. In: Edey T.N. ed. Tropical sheep and Goat Production. Pp. 83-110. AUIDP. Canberra.
- Ensminger ME, Oldfield JE, Heinemann WW. 1990. Feeds and Nutrition. Second Edition. The Ensminger Publishing Company, USA.
- Ferrel CL, Jenkins TG. 1984. Relationship among various body component of mature cows. *J. Anim Sci.* 58:222.
- Field RA, Schoonover CO. 1967. Equation for comparing longissimus dorsi areas in bulls of different weights. *J. Anim. Sci.* 26:709-712.
- Forrest JC *et al.* 1989. A review of potentials new methods of on-line pork carcass evaluation. *J. Anim. Sci.* 67:2164.
- Fortin A, Reid JT, Maiga AM, Sim DW, Wellington GH. 1981. Effect of level energy intake and influence of breed and sex on growth of fat tissue and distribution in the bovine carcass. *J. Anim. Sci.* 53:982-991.
- Fursey GAJ, Miles CA, Page SJ, Fisher AV. 1991. Speed of ultrasound in Hereford bulls and its correlation with carcass composition. *Anim. Prod.* 52:263.
- Gerrard F. 1977. Meat Technology. 6th ed. Northwood Publications Ltd., London.
- Gerrard DE *et al.* 1987. Collagen stability, testosterone secretion and meat tenderness in growing bull vs steer. *J. Anim. Sci.* 65:1236-1242.
- Gomez KA, Gomez AA. 1995. Prosedur Statistik untuk Penelitian Pertanian. Edisi kedua. Penerjemah: S. Endang dan J.S. Baharsyah. Universitas Indonesia Press, Jakarta.

- Griffin DB, Savell JW, Morgan BJ. 1992. Estimates of subprimal yields from beef carcasses as affected by USDA grades, subcutaneous fat trim level and carcass sex class and type. *J. Anim. Sci.* 70:2411-2430.
- Gurnadi RE. 1986. Dasar-dasar Ilmu Teknologi Daging. Sisdiksat-BKS. PTN INTIM.. Kerjasama IPB USAID/AED DEPDIKBUD. Jakarta.
- Hafid HH. 1998. Kinerja produksi sapi *Australian Commercial Cross* yang dipelihara secara feedlot dengan kondisi bakalan dan lama penggemukan berbeda [tesis]. Bogor: Program Pascasarjana. Institut Pertanian Bogor.
- Hafid HH, Hasnudi. 1998. Perbandingan pertumbuhan sapi Brahman Cross kastrasi pada penggemukan 60, 90 dan 120 hari, *Jurnal Kultura*, Faperta USU Medan.
- Hafid HH, Gurnadi RE, Priyanto R, Saefuddin A. 2001. Komposisi potongan komersial karkas sapi *Australian Commercial Cross* kebiri yang digemukkan secara feedlot pada lama penggemukan yang berbeda. *Jurnal Ilmu-ilmu Pertanian AGROLAND*, Fakultas Pertanian Universitas Tadulako Palu. Vol. 8 (1) : 90 - 96. (Akreditasi No. 395/ Dikti/Kep/2000).
- Hafid HH. 2002. Pengaruh pertumbuhan kompensasi terhadap efisiensi pertumbuhan sapi *Brahman Cross* kebiri pada penggemukan feedlot. *Jurnal Ilmu-ilmu Pertanian AGROLAND*, Fakultas Pertanian Universitas Tadulako Palu. Vol. 9(2): 179 - 185 (Akreditasi No. 395/ Dikti/Kep/2000).
- Hafid HH. 2003. Pengaruh pelayuan dan metode pemasakan terhadap mutu sensori daging kambing, *Jurnal Ilmu-ilmu Pertanian AGROLAND*, Fakultas Pertanian Universitas Tadulako Palu. Vol. 10 (2) : 179 - 185 (Akreditasi No. 395/ Dikti/Kep/2000).
- Hafid HH. 2003. Studi tentang karakteristik karkas kambing lokal yang berasal dari pola pemeliharaan tradisional. *Jurnal Penelitian Mimbar Akademik*, Lembaga Penelitian Universitas Haluoleo Kendari. Edisi No.18 tahun XII Mei 2003
- Hafid HH. 2004. Sifat Fisik dan mutu sensori daging sapi Bali yang dipelihara secara tradisional (Pengaruh pelayuan dan jenis kelamin). *Majalah Ilmiah AGRIPLUS*, Fakultas Pertanian Universitas Haluoleo Kendari. Vol 14 (1) (Akreditasi No. 34/Dikti/Kep/2003)
- Hafez ESE, Dyer IA. 1969. Animal Growth and Nutrition. Lea and Febinger, Philadelphia.
- Hammond J. 1932. Growth and Development of Mutton Qualities in Sheep. Oliver and Boyd, Edinburgh.
- Hammond J, Browman JC, Robinson TR. 1983. Farm Animal. Fifth Ed. Butler and Tannet Ltd. Rome-London.

- Hammond AC, Rumsey TS, Haaland GL. 1984. Estimation of body water in steers by urea dilution. *Growth.* 48:29.
- Hammond AC, Waldo DR. 1985. Prediction of body composition in growing Holstein steers using urea space. *J. Anim Sci.* 61(1):447.
- Hanson D, Calkins C, Gwartney B, Forrest J, Lemenager R. 1999. The relationship of beef primal cut composition to overall carcass composition. <http://ianrpubs.unl.edu/beef/report/mp71-30.htm>. (January 1999).
- Halomoan F, Priyanto R, Nuraeni H. 2001. Karakteristik ternak dan karkas sapi untuk kebutuhan pasar tradisional dan pasar khusus. *Jurnal IPTEK Peternakan - Media Peternakan*, Fakultas Peternakan IPB. Vol. 24 (2): 12-17.
- Hardjosubroto W. 1984. Breed evaluation of large ruminants in Indonesia. In: Evaluation of large ruminants for the tropics. *Aciar Proceedings Series No. 5:* 74-81.
- Henderson DW, Goll DE, Kline EA. 1966. Relationships of mucling and finish measurements from three different groups of beef carcasses with carcass yield. *J. Anim. Sci.* 25:323-328.
- Hendrick HB. 1983. Methods of estimating live animal and carcass composition. *J. Anim. Sci.* 57:1316.
- Hopkins DL. 1989. Reliability of three sites for measuring fat depth on the beef carcass. *Aust. J. Exp. Agr.* 29:165-168.
- Houghton PL, Turlington LM. 1992. Aplication of ultrasound for feeding and finishing animals. A Review. *J. Anim. Sci.* 70:930.
- Huxley JS. 1932. Problems of Relative Growth. First Ed. Methuen, London.
- James L, Purchas RW. 2002. Beef research : A review of the new zealand national beef competititon in comparison to the australian beef carcass appraisal method. In New Zealand National Beef. <http://www.Jurnal.Anim.Sci.>
- Jesse GW, Thompson GB, Clark JL, Hendrick HB, Weimer KG. 1976. Effects of ration energy and slaughter weight on composition of empty body and carcass gain of beef cattle. *J. Anim.Sci.* 43:418.
- Johri CB, Ranjhan K. 1983. Use of ¹⁴ C-Urea for body water determination in young bufallo calves (*Buballus bubalis*). *Indian J. Anim. Sci.* 53:316.
- Johnson ER, Vidyadarshan MK. 1981. An evaluation of different sites for measuring fat thickness in the beef carcass to determine carcass fatness. *Aust. J. Agric. Res.* 32:999-1007.

- Johnson ER. 1987. Comparison of twelft rib and rump fat thickness measurements for predicting commercial beef yield in local market carcasses. *Aust. J. Exp. Agric.* 27:613-617.
- Johnson ER. 1988. Cattle production and meat yield interaction. In: Meat 88, pp. 36-40. In: Proceeding of industry Day: Part of the 34th International Congress of Meat Science and Technology, Brisbane.
- Johnson ER, Taylor DG, Meehan DP. 1991. The use of saleble beef yield as a scientific parameter. In: *Proceeding of the 37th International Congress of Meat Science and Technology, Kulmbach*. Pp. 127-130.
- Johnson ER, Priyanto R. 1991. Mechanisms for improving the prediction of carcase composition using subcutaneus fat thickness. *Proceeding of the 37th international congress of meat science and technology, Kulmbach*. Pp. 123-126.
- Johnson ER, Priyanto R. 1992. The relationship of breed, feed, and age to the disposition of muscle and fat in beef carcasses. In: Vet. Update 1992. Ed, H.G. Osborne. The University of Quensland, Brisbane.
- Johnson ER, Taylor DG, Priyanto R. 1992. The Contribution eye muscle area to the objective measurement of carcass muscle. *Proc. Aust. Soc. Anim. Prod.*, Vol. 19. Melbourne.
- Johnson ER, Taylor DG, Priyanto R. 1996. Anatomical factors influencing butt shape of steers prepared for the australian domestic market. Proc. Aust. Soc. Anim. Prod., Vol. 19. Melbourne. *Proc. Aust. Soc. Anim. Prod.*, Vol. 21. Melbourne. Pp. 185-188.
- Johnson ER, Priyanto R, Taylor DG. 1997. Investigation into the accuracy of prediction of beef carcass composition using subcutaneus fat thickness and carcass weight II. Improving the accuracy of prediction. *Meat Sci.* 46:159-172.
- Jones SDM, Price MA, Berg RT. 1978. Effect of breed and sex on the relative growth and distribution of bone in cattle. *Can. J. Anim. Sci.* 58: 157-165.
- Jones DR, Stringer WC. 1999. Beef carcass grading and evaluation. <http://muextension.missouri.edu/explore/agguides/ansci/go2220/htm>.
- Judge MD, Martin TG, Outhouse JB. 1966. Prediction of carcass compositon of ewe and wether lambs from carcass weight and measurement. *J. Anim. Sci.* 25:92.
- Keim NL, Mayclin PL, Taylor SJ, Brown DL. 1988. Total body electrical conductivity method for estimating body composition: Validation by direct carcass analysis of pigs. *J. Clin. Nutr.* 47:180.

- Kempster T, Cuthbertson A, Harrington. 1982. Carcass Evaluation in Livestock Breeding, Production and Marketing. First Publ. Granada Publishing Ltd.
- Kinsman DM, Kotula AW, Breidenstein BC. 1994. Muscle Foods: Meat, Poultry and Seafood Technology. First Pub., Chapman & Hall One Penn Plaza New York USA.
- Kirchgessener M, Schwarz FJ, Heidel V. 1994. Energy and nutrient content of empty body, composition of body weight gain and energy utilization by growing bulls, heifer and steers (German Simmental). In Energy Metabolism of Farm Animals. *Proceeding of the 13th Symposium Mojacar*, Spain (EAAP Publication No. 76). Butterworths London-Durban-Toronto.
- Koch SW, Preston RL. 1979. Estimation of bovine carcass composition by the urea dilution technique. *J. Anim. Sci.* 48:319.
- Koch RM, Dikeman ME, Lipsey RJ. 1979. Characterization of biological types of cattle-cycle II:III Carcass Composition, quality and palatability. *J. Anim. Sci.* 49:449-460.
- Kuei CH, Forrest JC, Schinckel AP, Judge MD. 1990. Influence of processing stage on predictive accuracy of total body electrical conductivity for pork carcass composition. *J. Anim. Sci.* 68 (Suppl.1):348.
- Lachlan J, Purchas RW. 2002. Beef research: A review of the new zealand national beef competititon in comparison to the australian beef carcass appraisal method. In New Zealand National Beef. [http://www.Jurnal.*Anim. Sci.*](http://www.Jurnal.Anim.Sci.)
- Latham SD, Moddy WG, Kemp JD. 1966. Technique for estimating lamb carcass composition. *J. Anim. Sci.* 25:492.
- Lawrence TLJ. 1980. Growth in Animals: Studies in the Agricultural and Food Science. Butterworths, London.
- Lawrie RA. 2003. Ilmu Daging. Terjemahan: Aminuddin Parakkasi. Penerbit Universitas Indonesia Press, Jakarta.
- Le Van *et al.* 1979. Retail lean, bone and fat distribution of Angus and Charolais steers slaughtered at similar stages of physiological maturity. *J. Anim. Sci.* 49:683-692.
- Leat WMF, Cox RW. 1980. Fundamental Aspect of Adipose Tissue Growth. In: Growth in Animal. Edt. By T.L.J. Lawrence. Butterworth, Boston.

- Lunt DK, Smith GC, Murphrey CE, Savell JW, Carpenter ZL. 1985. Carcass characteristics and composition of brahman, angus and brahman-angus cross steers fed for different times-on-feed. *Meat Sci.* 14:137-152.
- Mahbout O, Lodge GA. 1994. Growth and body composition of omani local shape live weight growth and carcass and non carcass characteristic. *J. Anim. Prod.* 58:365-367.
- Martin RA, Ehle FR. 1983. Body composition of lactating and dry holstein dairy cows estimation by deuterium dilution. *J. Dairy Sci.* 66:160.
- May SG. *et al.* 1992. Beef carcass composition of slaughter cattle differing in frame size, muscle scores and external fatness. *J. Anim. Sci.* 70:2431-2445.
- McCarthy FD, Hawkins DR, Bergen WG. 1983. Comparison deuterium oxide, specific gravity and 9-10-11 rib separation techniques for estimating body composition in beef cattle. *Michigan State Beef Cattle Res.* 444:42.
- McCarthy FD, Hawkins DR, Bergen WG. 1985. Dietary energy density and frame size effect on composition of gain in feedlot cattle. *J. Anim. Sci.* 60(3):781-790.
- McKiernan WA. 2000. Frame Scoring of Beef Cattle. NSW Agriculture, Armidale. [\(5 January 2000\)](http://www.agric.nsw.gov.au/reader/beefappraisal/a234.htm)
- Meissner HH, Van Staden JH, Pretorius E. 1980. In vivo estimation of body composition in cattle with tritium and urea dilution. I. Accuracy of prediction equations for the whole body. *South Africa J. Anim. Sci.* 10:165.
- Meno JJ, Miller HW. 1970. Live measurement to predict lamb carcass traits. *J. Anim. Sci.* 31:1016.
- Mersmann HJ, Brown LJ, Chai EY, Fogg TJ. 1984. Use of electric meat measuring equipment to estimated body composition in swine. *J. Anim. Sci.* 58:85.
- Minish GL, Fox DG. 1979. Beef production and management. Reston Publishing Co., Inc. A Prentice-Hall Co., Reston, Virginia.
- Mukhoty H, Berg RT. 1973. Influence of breed and sex on mucle weight distribution of cattle. *J. Agric. Sci. Camb.* 81:317-326.
- Murphrey DK, Hallet, Tayler WE, Pierce JC. 1960. Estimating yields of retail cuts from beef carcasess. *J. Anim. Sci.*, 19:1241.

- Moon JB. 1980. An investigation of alternative sites for measuring fat depth in beef carcasses. [promotional thesis]. Brisbane. Quensland Departement of Primary Industries, Slaughtering and Meat Inspection Branch.
- Moran JB. 1978. Perbandingan performance jenis sapi daging Indonesia. *Proceeding Seminar Ruminansia*. Pusat Penelitian dan Pengembangan Peternakan dan Fakultas Peternakan IPB, Bogor. Pp. 28-31.
- Natasasmita A. 1978. Body composition of swamp buffalo (*Bubalus bubalis*), a study of development growth and sex differences [PhD thesis]. Australia: University of Melbourne.
- Natasasmita A. 1979. Aspek pertumbuhan dan perkembangan dalam produksi ternak daging. Ceramah Ilmiah, 17 Februari 1979. Fakultas Peternakan-IPB, Bogor.
- Ngadiyono N. 1995. Pertumbuhan serta sifat-sifat karkas dan daging sapi sumba, ongole, brahman cross dan australian commercial cross yang dipelihara secara intensif pada berbagai bobot potong [disertasi]. Bogor: Program Pascasarjana. Institut Pertanian Bogor.
- Ockerman HW. 1985. Quality control of post-mortem muscle tissue. Vol. 1. Departement of Animal Science. *The Ohio State University and The Ohio Agricultural Research and Development Center*.
- Panaretto BA, Till AR. 1963. Body composition in vivo. II. The composition of mature goats and its relationship to the antipyrine, tritiated water, and N-acetyl-4-aminoantipyrine space. *Australian J. Agr. Res.* 14:926.
- Pane I. 1986. Pemuliabiakan Ternak Sapi. PT. Gramedia, Jakarta.
- Parakkasi A. 1999. Ilmu Nutrisi dan Makanan Ternak Ruminan. Cetakan Pertama. Penerbit UIP, Jakarta.
- Patterson DC, Steen RWJ, Kilpatrick DJ. 1995. Growth development in beef cattle. I. Direct and residual effect of plane of nutrition during early life on components of gain and feed efficiency. *J. Agric.Sci.*124(1):91-100.
- Payne WJA. 1970. Cattle Production in the Tropics. Vol. 1. Longman Group Limited, London.
- Pratiwi NMW. 1997. Estimasi produktivitas karkas sapi *Brahman cross* yang dipotong pada kisaran bobot potong 350-550 kg [tesis]. Bogor: Program Pascasarjana. Institut Pertanian Bogor.
- Preston RL, Koch SW. 1973. In vivo prediction of body composition in cattle from urea space measurement. *Proc. Soc. Exp. Biol. Med.* 143:1057.

- Preston TR, Willis MB. 1982. Intensif Beef Production. The Second Ed. Pergamon Press. Oxford-New York-Toronto-Sydney-Paris-Frankfurt.
- Priyanto R. 1993. A study of the growth and distribution of beef carcass tissues including their prediction, optimum beef productivity and marketing [PhD thesis]. Brisbane: Department of Farm Animal Medicine and Production. The University of Quensland Australia.
- Priyanto R, Johnson ER, Taylor DG. 1993. Prediction of carcass composition in heavy-weight grass-fed and grain-fed beef cattle. *Anim. Prod.* 57:65-72.
- Priyanto R, Johnson ER, Taylor DG. 1997. Investigating into the accuracy of prediction of beef carcass composition using subcutaneous fat thickness and carcass. I. Identifying Problems. *Meat Science*. 17:187-198.
- Priyanto R, Johnson ER, Taylor DG. 1999. The importance of genotype in steers fed pasture or lucerne hay and prepared for the australian and japanese beef markets. *New Zealand J. of Agric. Res.* 42:393-404.
- Pulungan H. 1984. Pertumbuhan dan perkembangan komponen karkas ditinjau dari bobot hidup pada domba jantan lokal. *Ilmu dan Peternakan*. 1(5):201.
- Purwanto B. 2000. Kajian optimalisasi usaha penggemukan sapi (*feedlot*) melalui manipulasi pakan, pertumbuhan kompensasi dan periode waktu penggemukan [disertasi]. Bogor: Program Pascasarjana. Institut Pertanian Bogor.
- Ramsey CB, Cole JW, Hobbs CS. 1962. Relation of beef carcass grades, proposed yield grades and fat thickness to separable lean, fat and bone. *J. Anim. Sci.* 21:193-195.
- Restle J, Vaz FN. 1977. Carcass quantitative traits of infact and castrated hereford males, slaughtered at fourteen months. *Pesquisa Agropecuaria Brasilera*. 32(10):1091-1095.
- Reiling BA, Rouse GH, Duello DA. 1992. Predicting percentage of retail yield from carcass measurement, the yield grading equation, and closely trimmed, boxed beef weights. *J. Anim. Sci.* 70:2151-2158.
- Robelin J. 1975. Estimation of body composition in vivo by dilution technique. *The Netherland*. pp:91.
- Romans JR, Costello WJ, Carlson CW, Greaser ML, Jones KW. 1994. The Meat We Eat. Interstate Publishers, Inc., Danville, Illinois.
- Rule DC, Arnold RN, Hentges EJ, Beitz DC. 1986. Evaluation of urea dilution as a technique for estimating body composition of beef steers. In vivo: Validation of published equations and comparison with chemical composition. *J. Anim Sci.* 63:1935.

- Sents AE, Walters LE, Whiteman JW. 1982. Performance and carcass characteristic of ram lambs slaughtered at different weights. *J. Anim. Sci.* 55:1360.
- [SAS] Statistical Analysis System. 1996. The SAS System For Windows Release V6.12. Louisiana State University. SAS Institute, Inc., Cary, NC, USA.
- Savell JW, Smith GC. 2000. Laboratory Manual For Meat Science. Seventh Edition. American Press, Boston Massachusetts.
- Shahin KA, Berg RT, Price MA. 1993. The effect of breed type and castration on tissue growth pattern and carcass composition in cattle. *Livestock Production Science*. 35:251-255.
- Shackelford SD, Koochmariae M, Wheeler TL. 1995. Effect of slaughter age on meat tenderness and USDA maturity scores of beef females. *J. Anim. Sci.* 73:3304-3309.
- Soeparno. 1998. Ilmu dan Teknologi Daging. Gadjah Mada University Press, Yogyakarta.
- Sorenson SE. 1988. The Automated Measurement of Beef. In: Australian Meat and Livestock Corporation. Eds. L.E. Brownlie, W.J.A. Hall and S.U. Fabiansson. Sydney. Pp.75-80.
- Suwarno. 1980. Hubungan antara luas urat daging mata rusuk dengan bobot karkas pada sapi peranakan ongole, sapi bali dan kerbau [skripsi]. Bogor: Fakultas Peternakan. Institut Pertanian.
- Steel RGD, Torrie JH. 1995. Prinsip dan Prosedur Statistika. Suatu Pendekatan Biometrik. PT. Gramedia Pustaka Utama, Jakarta.
- Swatland HJ. 1984. Structure and Development of Meat Animals. Prentice-Hall Inc., Englewood Cliff, New Jersey.
- Tatum JD, Williams JrFL, Bowling RA. 1986a. Effect of feeder-cattle frame size and muscle thickness on subsequent growth and carcass development. III. Partitioning of separable carcass fat. *J. Anim. Sci.* 62:132-138.
- Taylor DG, Johnson ER, Priyanto R. 1996. The accuracy of rump P8 fat thickness and twelfth rib fat thickness in predicting beef carcass fat content in three breed types. In: *Proceedings of the Australian Society of Animal Production*. The University of Queensland, Brisbane. Pp 193-195.
- Thomson R, Meiske JC, Goodrich RD, Rust JR, Byers FM. 1983. Influence of body composition on energy requirement of beef cows during winter. *J. Anim. Sci.* 56:1241.

- Thornton RF. 1991. Report on Muscle Socers Trials. Australian Meat and Livestock Corporation. Sydney.
- Tillman AD, Hartadi H, Reksohadiprodjo S, Prawirokusumo S, Lebdosoekojo S. 1984. Ilmu Makanan Ternak Dasar. Cetakan Kedua. Gadjah Mada University-Press, Yogyakarta.
- Tulloh NM. 1978. Growth, development, body composition, breeding and management. In: Tulloh, N.M. (ed): A Course Manual in Beef Cattle Management and Economics. Pp. 59-94. AAUCS. Canberra.
- Turner HG. 1977. The tropical adaptation of beef cattle. An Australian study. In: animal breeding: Selected articles from *the Word Anim. Rev.* FAO Animal Production and Health Paper 1:92-97.
- [USDA] United State of Departement Agriculture. 1997. United States Standars for Grades of Carcass Beef. National Agricultural Statistics Service, Mt An 1-2-1 (00).
- Van Loan M, Mayclin P. 1987. A new TOBEC instrument and procedure for the assesment of body composition: Use of Fourier coefficient to predict lean body mass and total body water. *Am. J. Clin. Nutr.* 45:131.
- Ville H *et al.* 1997. An evaluation of ultrasounds and Nuclear Magnetic Resonance (NMR) spectroscopy to measured in vivo intramuscular fat contetnt of longissimus muscle of pigs. *J. Anim. Sci.* 75:2942.
- Vercoe JE, Frisch JE. 1980. Pemuliaan dan segi-segi kegenetikan sapi pedaging di daerah tropis. *Prosiding Seminar Ruminansia II*. P3T, Ciawi Bogor. 23-37.
- Wasito HR. 2004. Pemerintah akan Tetapkan Kuota Impor Produk Peternakan. <http://www.balipost.co.id/balipost.cetak/2004/6/11/el.htm-17k>. [11Juni 2004].
- Wello B. 2000. Apresiasi dan Standarisasi Karkas. *Prosiding Kursus Singkat. Teknik Peningkatan dan Penilaian Karkas dan Daging pada Ternak Sapi dengan Menggunakan Novel Teknologi*. Kerjasama Fapet UNHAS dengan Proyek Peningkatan Kualitas SDM Dirjen Dikti Depdiknas, Makassar.
- Whittaker AD, Park BS, McCauley JD, Huang Y. 1991. Ultrasonic signal classification for beef quality grading through neural network. *Proceedings of the Automated Agriculture for the 21stCentury*. ASAE Symposium, 16-17 December (paper).
- Williams IH. 1982. A Course Manual in Nutrition and Growth. Australian Vice-Chancellors-Committee, Melbourne.

- Wismeyer DL, Snomder GD, Clark DH, Cockett NE. 1996. Prediction of live lamb chemical composition utilizing electromagnetic scanning (TOBEC). 74:1864.
- Winks L, Holmes AE, Grady PO, James TA, Rourke PK. 1979. Comparative growth and carcase characteristics of shorthorn, brahman-british cross, friesian and sahiwal-friesian cross steers on the atherton tableland, North Quensland. *Aus J. Exp. Agr. Anim. Husb.* 19:133-139.
- Wythes JR, Ramsay WR. 1994. Beef Carcass Composition and Meat Quality. First Edition. Departemen of Primary Industries, Queensland.