

DISTRIBUSI FREKUENSI INDIKATOR $X_{2.2}$

Frequencies

Statistics

		ITEM1	ITEM2	ITEM3	ITEM4
N	Valid	21	21	21	21
	Missing	0	0	0	0
Mean		4.24	4.29	4.29	4.24
Std. Deviation		.625	.784	.561	.625
Variance		.390	.614	.314	.390
Range		2	2	2	2
Minimum		3	3	3	3
Maximum		5	5	5	5

Frequency Table

ITEM1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	2	9.5	9.5	9.5
	4	12	57.1	57.1	66.7
	5	7	33.3	33.3	100.0
Total		21	100.0	100.0	

ITEM2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	4	19.0	19.0	19.0
	4	7	33.3	33.3	52.4
	5	10	47.6	47.6	100.0
Total		21	100.0	100.0	

ITEM3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	4.8	4.8	4.8
	4	13	61.9	61.9	66.7
	5	7	33.3	33.3	100.0
Total		21	100.0	100.0	

ITEM4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	2	9.5	9.5	9.5
	4	12	57.1	57.1	66.7
	5	7	33.3	33.3	100.0
Total		21	100.0	100.0	

DISTRIBUSI FREKUENSI INDIKATOR X_{2,3}

Frequencies

Statistics

		ITEM1	ITEM2	ITEM3	ITEM4
N	Valid	21	21	21	21
	Missing	0	0	0	0
Mean		4.48	4.48	4.19	4.43
Std. Deviation		.602	.680	.750	.676
Variance		.362	.462	.562	.457
Range		2	2	2	2
Minimum		3	3	3	3
Maximum		5	5	5	5

Frequency Table

ITEM1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	4.8	4.8	4.8
	4	9	42.9	42.9	47.6
	5	11	52.4	52.4	100.0
	Total	21	100.0	100.0	

ITEM2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	2	9.5	9.5	9.5
	4	7	33.3	33.3	42.9
	5	12	57.1	57.1	100.0
	Total	21	100.0	100.0	

ITEM3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	4	19.0	19.0	19.0
	4	9	42.9	42.9	61.9
	5	8	38.1	38.1	100.0
	Total	21	100.0	100.0	

ITEM4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	2	9.5	9.5	9.5
	4	8	38.1	38.1	47.6
	5	11	52.4	52.4	100.0
	Total	21	100.0	100.0	

Lampiran 31. Output Distribusi Frekuensi Cluster Analyzer

DISTRIBUSI FREKUENSI INDIKATOR $X_{3,1}$

Frequencies

Statistics

		ITEM1	ITEM2	ITEM3	ITEM4
N	Valid	51	51	51	51
	Missing	0	0	0	0
Mean		3.78	3.94	4.43	4.31
Std. Deviation		.642	.705	.728	.735
Variance		.413	.496	.530	.540
Range		3	3	2	2
Minimum		2	2	3	3
Maximum		5	5	5	5

Frequency Table

ITEM1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	2	3.9	3.9	3.9
	3	11	21.6	21.6	25.5
	4	34	66.7	66.7	92.2
	5	4	7.8	7.8	100.0
Total		51	100.0	100.0	

ITEM2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	2	3.9	3.9	3.9
	3	8	15.7	15.7	19.6
	4	32	62.7	62.7	82.4
	5	9	17.6	17.6	100.0
Total		51	100.0	100.0	

ITEM3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	7	13.7	13.7	13.7
	4	15	29.4	29.4	43.1
	5	29	56.9	56.9	100.0
	Total	51	100.0	100.0	

ITEM4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	8	15.7	15.7	15.7
	4	19	37.3	37.3	52.9
	5	24	47.1	47.1	100.0
	Total	51	100.0	100.0	

DISTRIBUSI FREKUENSI INDIKATOR X_{3,2}

Frequencies

Statistics

		ITEM1	ITEM2	ITEM3	ITEM4
N	Valid	51	51	51	51
	Missing	0	0	0	0
Mean		4.12	3.57	3.98	3.80
Std. Deviation		.516	.700	.761	.693
Variance		.266	.490	.580	.481
Range		2	3	3	3
Minimum		3	2	2	2
Maximum		5	5	5	5

Frequency Table

ITEM1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	4	7.8	7.8	7.8
	4	37	72.5	72.5	80.4
	5	10	19.6	19.6	100.0
	Total	51	100.0	100.0	

ITEM2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	1	2.0	2.0	2.0
	3	25	49.0	49.0	51.0
	4	20	39.2	39.2	90.2
	5	5	9.8	9.8	100.0
	Total	51	100.0	100.0	

ITEM3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	1	2.0	2.0	2.0
	3	12	23.5	23.5	25.5
	4	25	49.0	49.0	74.5
	5	13	25.5	25.5	100.0
	Total	51	100.0	100.0	

ITEM4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	2	3.9	3.9	3.9
	3	12	23.5	23.5	27.5
	4	31	60.8	60.8	88.2
	5	6	11.8	11.8	100.0
	Total	51	100.0	100.0	

DISTRIBUSI FREKUENSI INDIKATOR X_{3,3}

Frequencies

Statistics

		ITEM1	ITEM2	ITEM3	ITEM4
N	Valid	51	51	51	51
	Missing	0	0	0	0
Mean		3.98	3.80	3.69	3.90
Std. Deviation		.707	.825	.787	.831
Variance		.500	.681	.620	.690
Range		3	3	4	3
Minimum		2	2	1	2
Maximum		5	5	5	5

Frequency Table

ITEM1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	2	3.9	3.9	3.9
	3	7	13.7	13.7	17.6
	4	32	62.7	62.7	80.4
	5	10	19.6	19.6	100.0
	Total	51	100.0	100.0	

ITEM2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	4	7.8	7.8	7.8
	3	11	21.6	21.6	29.4
	4	27	52.9	52.9	82.4
	5	9	17.6	17.6	100.0
	Total	51	100.0	100.0	

ITEM3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	2.0	2.0	2.0
	2	2	3.9	3.9	5.9
	3	14	27.5	27.5	33.3
	4	29	56.9	56.9	90.2
	5	5	9.8	9.8	100.0
	Total	51	100.0	100.0	

ITEM4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	4	7.8	7.8	7.8
	3	8	15.7	15.7	23.5
	4	28	54.9	54.9	78.4
	5	11	21.6	21.6	100.0
	Total	51	100.0	100.0	

Lampiran 32. Output Distribusi Frekuensi Cluster Reaktor

DISTRIBUSI FREKUENSI INDIKATOR $X_{4,1}$

Frequencies

Statistics

		ITEM1	ITEM2	ITEM3	ITEM4
N	Valid	6	6	6	6
	Missing	0	0	0	0
Mean		4.00	4.00	4.00	4.00
Std. Deviation		.000	.000	.000	.000
Variance		.000	.000	.000	.000
Range		0	0	0	0
Minimum		4	4	4	4
Maximum		4	4	4	4

Frequency Table

ITEM1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 4	6	100.0	100.0	100.0

ITEM2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 4	6	100.0	100.0	100.0

ITEM3

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 4	6	100.0	100.0	100.0

ITEM4

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 4	6	100.0	100.0	100.0

DISTRIBUSI FREKUENSI INDIKATOR X_{4,2}

Frequencies

Statistics

		ITEM1	ITEM2	ITEM3	ITEM4
N	Valid	6	6	6	6
	Missing	0	0	0	0
Mean		4.00	4.00	3.50	4.00
Std. Deviation		.000	.000	.548	.000
Variance		.000	.000	.300	.000
Range		0	0	1	0
Minimum		4	4	3	4
Maximum		4	4	4	4

Frequency Table

ITEM1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	6	100.0	100.0	100.0

ITEM2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	6	100.0	100.0	100.0

ITEM3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	3	50.0	50.0	50.0
	4	3	50.0	50.0	100.0
	Total	6	100.0	100.0	

ITEM4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	6	100.0	100.0	100.0

DISTRIBUSI FREKUENSI INDIKATOR X_{4.3}

Frequencies

Statistics

		ITEM1	ITEM2	ITEM3	ITEM4
N	Valid	6	6	6	6
	Missing	0	0	0	0
Mean		4.00	4.00	4.00	4.00
Std. Deviation		.000	.000	.000	.000
Variance		.000	.000	.000	.000
Range		0	0	0	0
Minimum		4	4	4	4
Maximum		4	4	4	4

Frequency Table

ITEM1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 4	6	100.0	100.0	100.0

ITEM2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 4	6	100.0	100.0	100.0

ITEM3

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 4	6	100.0	100.0	100.0

ITEM4

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 4	6	100.0	100.0	100.0

Lampiran 33. Output Analisis ANOVA untuk Ketahanan Usaha (Survival)

Oneway

Descriptives

Survival

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum	Between-Component Variance
					Lower Bound	Upper Bound			
					Prospektor	21			
Defender	21	9.05	3.801	.829	7.32	10.78	6	23	
Analyzer	51	13.82	5.833	.817	12.18	15.46	5	27	
Reaktor	6	6.83	1.169	.477	5.61	8.06	5	8	
Total	99	11.45	5.332	.536	10.39	12.52	5	27	
Model			4.773	.480	10.50	12.41			
Fixed Effects									
Random Effects				1.834	5.62	17.29			8.728

Test of Homogeneity of Variances

Survival

Levene Statistic	df1	df2	Sig.
8.029	3	95	.000

ANOVA

Survival

		Sum of Squares	df	Mean Square	F	Sig.
Between Groups	(Combined)	622.205	3	207.402	9.104	.000
	Linear Term	4.539	1	4.539	.199	.656
	Unweighted	148.940	1	148.940	6.537	.012
	Weighted	473.265	2	236.633	10.387	.000
	Deviation					
Within Groups		2164.340	95	22.783		
Total		2786.545	98			

Lampiran 34. Output Analisis ANOVA untuk Pertumbuhan Tenaga Kerja (Employment)

Oneway

Descriptives

Pertumbuhan Tenaga Kerja

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum	Between-Component Variance
					Lower Bound	Upper Bound			
Prospektor	21	3.19	4.106	.896	1.32	5.06	-2	16	
Defender	21	1.71	1.953	.426	.83	2.60	-2	5	
Analyzer	51	8.22	7.588	1.062	6.08	10.35	-5	30	
Reaktor	6	-1.83	2.858	1.167	-4.83	1.17	-6	0	
Total	99	5.16	6.726	.676	3.82	6.50	-6	30	
Model									
Fixed Effects			5.923	.595	3.98	6.34			
Random Effects				2.447	-2.62	12.95			15.683

Test of Homogeneity of Variances

Pertumbuhan Tenaga Kerja

Levene Statistic	df1	df2	Sig.
6.184	3	95	.001

ANOVA

Pertumbuhan Tenaga Kerja

		Sum of Squares	df	Mean Square	F	Sig.
Between Groups	(Combined)	1100.430	3	366.810	10.455	.000
	Linear Term	36.800	1	36.800	1.049	.308
	Unweighted	163.938	1	163.938	4.673	.033
	Weighted	936.491	2	468.246	13.346	.000
Within Groups	Deviation	3332.985	95	35.084		
Total		4433.414	98			

Lampiran 35. Output Analisis ANOVA untuk Pertumbuhan Penjualan (Sales)

Oneway

Descriptives

Pertumbuhan Penjualan

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum	Between-Component Variance
					Lower Bound	Upper Bound			
					Prospektor	21			
Defender	21	.0305	.02889	.00630	.0173	.0436	-.02	.10	
Analyzer	51	.0698	.03575	.00501	.0597	.0799	-.02	.10	
Reaktor	6	.0100	.03347	.01366	-.0251	.0451	-.05	.05	
Total	99	.0512	.03858	.00388	.0435	.0589	-.05	.10	
Model									
Fixed Effects			.03335	.00335	.0446	.0579			
Random Effects				.01483	.0040	.0984			.00058

Test of Homogeneity of Variances

Pertumbuhan Penjualan

Levene Statistic	df1	df2	Sig.
1.941	3	95	.128

ANOVA

Pertumbuhan Penjualan

			Sum of Squares	df	Mean Square	F	Sig.
Between Groups	(Combined)		.040	3	.013	12.050	.000
	Linear Term	Unweighted	.001	1	.001	.969	.327
		Weighted	.007	1	.007	5.947	.017
		Deviation	.034	2	.017	15.102	.000
Within Groups			.106	95	.001		
Total			.146	98			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: Pertumbuhan Penjualan

	(I) Tipe Strategi	(J) Tipe Strategi	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
						Lower Bound	Upper Bound
Tukey HSD	Prospektor	Defender	.0081	.01029	.860	-.0188	.0350
		Analyzer	-.0312*	.00865	.003	-.0538	-.0086
		Reaktor	.0286	.01544	.256	-.0118	.0689
	Defender	Prospektor	-.0081	.01029	.860	-.0350	.0188
		Analyzer	-.0393*	.00865	.000	-.0619	-.0167
		Reaktor	.0205	.01544	.549	-.0199	.0608
	Analyzer	Prospektor	.0312*	.00865	.003	.0086	.0538
		Defender	.0393*	.00865	.000	.0167	.0619
		Reaktor	.0598*	.01439	.000	.0222	.0974
	Reaktor	Prospektor	-.0286	.01544	.256	-.0689	.0118
		Defender	-.0205	.01544	.549	-.0608	.0199
		Analyzer	-.0598*	.01439	.000	-.0974	-.0222
LSD	Prospektor	Defender	.0081	.01029	.433	-.0123	.0285
		Analyzer	-.0312*	.00865	.000	-.0484	-.0141
		Reaktor	.0286	.01544	.067	-.0021	.0592
	Defender	Prospektor	-.0081	.01029	.433	-.0285	.0123
		Analyzer	-.0393*	.00865	.000	-.0565	-.0222
		Reaktor	.0205	.01544	.188	-.0102	.0511
	Analyzer	Prospektor	.0312*	.00865	.000	.0141	.0484
		Defender	.0393*	.00865	.000	.0222	.0565
		Reaktor	.0598*	.01439	.000	.0312	.0884
	Reaktor	Prospektor	-.0286	.01544	.067	-.0592	.0021
		Defender	-.0205	.01544	.188	-.0511	.0102
		Analyzer	-.0598*	.01439	.000	-.0884	-.0312

*. The mean difference is significant at the .05 level.

Homogeneous Subsets

Pertumbuhan Penjualan

Tipe Strategi	N	Subset for alpha = .05	
		1	2
Tukey HSD ^{a,c} Reaktor	6	.0100	
Defender	21	.0305	
Prospektor	21	.0386	.0386
Analyzer	51		.0698
Sig.		.109	.067

Means for groups in homogeneous subsets are displayed.

- Uses Harmonic Mean Sample Size = 14.209.
- The group sizes are unequal. The harmonic mean of the group sizes is used. Type I error levels are not guaranteed.

Means Plots

