

LAMPIRAN 3 : Uji Validitas Variabel Penelitian

Uji Validitas Kehandalan

Correlations

| | | TOTAL1 |
|------|---------------------|--------|
| IP_1 | Pearson Correlation | .636** |
| | Sig. (2-tailed) | .000 |
| | N | 30 |
| IP_2 | Pearson Correlation | .781** |
| | Sig. (2-tailed) | .000 |
| | N | 30 |
| IP_3 | Pearson Correlation | .670** |
| | Sig. (2-tailed) | .000 |
| | N | 30 |

** . Correlation is significant at the 0.01 level

Uji Reliabilitas Kehandalan

***** Method 1 (space saver) will be used for this analysis *****

RELIABILITY ANALYSIS - SCALE (ALPHA)

Item-total Statistics

| | Scale Mean if Item Deleted | Scale Variance if Item Deleted | Corrected Item- Total Correlation | Alpha if Item Deleted |
|------|-------------------------------------|---|--|-----------------------------|
| IP_1 | 3.7667 | 1.2195 | .2765 | .4072 |
| IP_2 | 3.8333 | .8333 | .3375 | .2979 |
| IP_3 | 2.8000 | 1.1310 | .2817 | .3943 |

Reliability Coefficients

N of Cases = 30.0

N of Items = 3

Alpha = .4726

Uji Validitas Daya Tanggap

Correlations

| | | TOTAL2 |
|------|---------------------|--------|
| IP_4 | Pearson Correlation | .640** |
| | Sig. (2-tailed) | .000 |
| | N | 30 |
| IP_5 | Pearson Correlation | .775** |
| | Sig. (2-tailed) | .000 |
| | N | 30 |
| IP_6 | Pearson Correlation | .594** |
| | Sig. (2-tailed) | .001 |
| | N | 30 |
| IP_7 | Pearson Correlation | .481** |
| | Sig. (2-tailed) | .007 |
| | N | 30 |

** . Correlation is significant at the 0.01 level

Uji Reliabilitas Daya Tanggap

t***** Method 1 (space saver) will be used for this analysis *****

RELIABILITY ANALYSIS - SCALE (ALPHA)

Item-total Statistics

| | Scale Mean if Item Deleted | Scale Variance if Item Deleted | Corrected Item- Total Correlation | Alpha if Item Deleted |
|------|-------------------------------------|---|--|-----------------------------|
| IP_4 | 6.7667 | 2.2540 | .4386 | .2693 |
| IP_5 | 7.3333 | 1.3333 | .2771 | .3957 |
| IP_6 | 6.7667 | 2.2540 | .3392 | .3151 |
| IP_7 | 7.53333 | 2.3954 | .0988 | .5053 |

Reliability Coefficients

N of Cases = 30.0

N of Items = 4

Alpha = .4401

Uji Validitas Jaminan

Correlations

| | | TOTALS |
|-------|---------------------|--------|
| IP_8 | Pearson Correlation | .701* |
| | Sig. (2-tailed) | .000 |
| | N | 30 |
| IP_9 | Pearson Correlation | .785* |
| | Sig. (2-tailed) | .000 |
| | N | 30 |
| IP_10 | Pearson Correlation | .656* |
| | Sig. (2-tailed) | .000 |
| | N | 30 |
| IP_11 | Pearson Correlation | .625** |
| | Sig. (2-tailed) | .000 |
| | N | 30 |

Correlation is significant at the 0.01 level

Uji Reliabilitas Jaminan

*** Method 1 (space saver) will be used for this analysis *****

RELIABILITY ANALYSIS - SCALE (ALPHA)

Item-total Statistics

| | Scale Mean if Item Deleted | Scale Variance if Item Deleted | Corrected Item- Total Correlation | Alpha if Item Deleted |
|-------|-------------------------------------|---|--|-----------------------------|
| IP_8 | 5.8000 | 2.0276 | .3736 | .5935 |
| IP_9 | 5.5000 | 1.7069 | .4783 | .5111 |
| IP_10 | 5.5333 | 2.3954 | .4312 | .5542 |
| IP_11 | 5.4667 | 2.5333 | .4184 | .5703 |

Reliability Coefficients

N of Cases = 30.0 N of Items = 4

Alpha = .6289

Uji Validitas Empati

Correlations

| | | TOTAL 4 |
|-------|---------------------|---------|
| IP_12 | Pearson Correlation | .736** |
| | Sig. (2-tailed) | .000 |
| | N | 30 |
| IP_13 | Pearson Correlation | .701** |
| | Sig. (2-tailed) | .000 |
| | N | 30 |
| IP_14 | Pearson Correlation | .474** |
| | Sig. (2-tailed) | .008 |
| | N | 30 |
| IP_15 | Pearson Correlation | .704** |
| | Sig. (2-tailed) | .000 |
| | N | 30 |

** . Correlation is significant at the 0.01 level

Uji Reliabilitas Empati

t***** Method 1 (space saver) will be used for this analysis *****

RELIABILITY ANALYSIS - SCALE (ALPHA)

Item-total Statistics

| | Scale Mean if Item Deleted | Scale Variance if Item Deleted | Corrected Item- Total Correlation | Alpha if Item Deleted |
|-------|-------------------------------------|---|--|-----------------------------|
| IP_12 | 5.4667 | 1.5678 | .4806 | .2573 |
| IP_13 | 5.3000 | 1.8034 | .5081 | .3002 |
| IP_14 | 5.6000 | 2.0414 | .0129 | .7010 |
| IP_15 | 5.5333 | 1.4989 | .3379 | .3796 |

Reliability Coefficients

N of Cases = 30.0 N of Items = 4

Alpha = .4975

Uji Validitas Bukti Fisik

Correlations

| | | TOTAL5 |
|-------|---------------------|--------|
| IP 16 | Pearson Correlation | -.037 |
| | Sig. (2-tailed) | .845 |
| | N | 30 |
| IP 17 | Pearson Correlation | .577** |
| | Sig. (2-tailed) | .001 |
| | N | 30 |
| IP_18 | Pearson Correlation | .763** |
| | Sig. (2-tailed) | .000 |
| | N | 30 |
| IP_19 | Pearson Correlation | .572** |
| | Sig. (2-tailed) | .001 |
| | N | 30 |
| IP_20 | Pearson Correlation | .787** |
| | Sig. (2-tailed) | .000 |
| | N | 30 |
| IP_21 | Pearson Correlation | .567** |
| | Sig. (2-tailed) | .001 |
| | N | 30 |
| IP_22 | Pearson Correlation | .479** |
| | Sig. (2-tailed) | .007 |
| | N | 30 |

Correlation is significant at the 0.01 level

Uji Reliabilitas Bukti Fisik

***** Method 1 (space saver) will be used for this analysis *****

RELIABILITY ANALYSIS - SCALE (ALPHA)

Item-total Statistics

| | Scale Mean if Item Deleted | Scale Variance if Item Deleted | Corrected Item- Total Correlation | Alpha if Item Deleted |
|-------|-------------------------------------|---|--|-----------------------------|
| IP_17 | 9.1000 | 5.2655 | .4625 | .687 |
| IP_18 | 9.1667 | 4.2126 | .6155 | .5914 |
| IP_19 | 9.2667 | 4.9609 | .4271 | .6586 |
| IP_20 | 9.4667 | 3.8437 | .6119 | .5854 |
| IP_21 | 9.1667 | 4.8333 | .2864 | .7117 |
| IP_22 | 9.3333 | 5.3333 | .2464 | .7096 |

Reliability Coefficients

N of Cases = 30.0

N of Items = 6

Alpha = .6972